

# Dynatrace Synthetic Articles Home

Search Dynatrace Synthetic Knowledge Base:



## Articles by Component or Feature

---

### Dynatrace Synthetic Monitoring Platform

- Administration
- Dynatrace Portal
- Dynatrace Classic Portal
- Diagnostics
- Alerts
- Metrics
- Reports
- Screen Capture on Error
- Dashboards

### Synthetic Monitoring Tests

- Backbone
- Last Mile
- Mobile
- Private Last Mile
- Tests - All Types

### APIs - Data Feeds

- SOAP APIs
- REST API

### Benchmarks

### Scripting

- Dynatrace Recorder

## Recently Updated Articles

---

- [Does IE Agent user needs admin privilege?](#)  
Mar 06, 2019 • created by [Nyna Jiaoxu Wang](#)
- [Can I chart an inactive test ?](#)  
Aug 29, 2018 • updated by [Hannah Masterson](#) • [view change](#)
- [How Consecutive Alerts work](#)  
Aug 07, 2018 • updated by [Nandini Balakrishna](#) • [view change](#)
- [How Consecutive Alerts work](#)  
Aug 02, 2018 • updated by [Venkat Krishnan](#) • [view change](#)
- [Playback Communication Error Checklist](#)  
Jul 13, 2018 • created by [Nyna Jiaoxu Wang](#)

# All Articles

---

## ***Dynatrace Classic Portal***

- Classic Portal Charts
  - 1st Byte Time is longer than Response Time
  - Asterisks within the Dynatrace Classic Portal Error Code Chart
  - Find out what object errors occurred during a Backbone test
  - How long the Dynatrace Classic Portal keeps data
  - How to chart a single day from a test 3 months ago with high resolution
  - How to customize the One View page
  - Is Processing Time included in the Response Time on the One Chart
  - Synthetic Mobile DataView Discrepancy - Summary vs Detail View
  - The bar section of an Error Chart doesn't always render multiple error types
  - Why do I see difference between waterfall chart data compare with calculated data from CSV
  - Why do I see response time data for every sequence in Page By Time charts
- Classic Portal Dashboard
  - Access Dashboards via the Dynatrace Classic Portal
  - Dynatrace Classic Portal Operational Dashboard IP address
  - Maximum number of concurrent Dashboard logins
  - Operations Dashboard and Test Chart Do Not Match
  - What the Threshold for a customized Operational Dashboard measures
- Classic Portal Reports
  - Accessing Previous Usage Reports
  - Calculating fill rate reports no machines are available
  - Could not configure a saved chart as a report
  - Edit the Flex Usage Report in the Dynatrace Classic Portal
  - Information included in each type of Daily Performance Report
  - Tests missing from Status Report
  - What is a Perspective Report
- Classic Portal Test Configuration
  - Applying Node Quick Pick groups to tests in the Dynatrace Classic Portal
  - Diagnostics and DataView pages display different total test counts
  - Error when Uploading Last Mile Test Monitor with Description Already Exists
  - How long does it take to update test settings for test running on Backbone?
  - I have uploaded a Private Last Mile script from the Recorder but cannot find it in the Portal
  - Missing Options under Instant Test in One View
  - Page URL shown in PageDetails under DataView is incorrect
  - Performance Test tab in Dynatrace Classic Portal cannot load
  - The apostrophe is not supported in the alert destination recipients list
  - Unable to see tests in the Performance Tests tab of the Dynatrace Classic Portal
  - Why didn't the configured Quick Pick nodes appear under Edit Backbone Tests
  - Why do I get an error message for inactive alert settings when editing the Alert page

## ***Dynatrace Synthetic Monitoring Platform***

- Administration
  - Can Account Primary user modify profile permissions
  - Can I set up my account time zone by user
  - Does Daylight Savings Time affect Synthetic Classic Dynatrace Portal data
  - Dynatrace Portal user account is locked out
  - Dynatrace University logon issue
  - How to assign Account Primary profile to a user
  - How to change the profile or access level for a user
  - How to create a new user in the Dynatrace Portal
  - How to customize the Dynatrace Portal landing page
  - Is GMT or the account time zone used for the Usage Report
  - Logged out of the Dynatrace Portal due to inactivity
  - Not getting the Forgot your password email
  - Reset Password message
  - Unable to log in to the Dynatrace Portal
  - Username Already Exists Error Message
- Alerts
  - Alert Configuration
    - Alerts - Last Mile and Private Last Mile
    - Can I customize the alert message body
    - Creating a Slack Destination for Alerts
    - How Consecutive Alerts work
    - How long are Alert Logs maintained
    - How the Difference in a Response Time Alert is calculated

- How to customize the subject line of an email alert notification
- How to set up test Alerts
- How to turn Alerts on or off altogether
- Retry on Error for Transaction Failure Alerts
- Set up Alerts based on the average performance of all test nodes
- Special characters supported in alert subject lines
- Suspending alerts without disabling tests or alerts
- The difference between Static and Dynamic Response Time Alerting
- URL Alert destination requirements
- What All Sites means for an Alert
- Why is the old URL displayed as Page Name in Alert details
- SMS/Text Alerts
  - How to get SMS alerts sent to your phone
  - How to send text alerts to your mobile phone
  - SMS alert messages - what the Step # refers to
- Troubleshooting Alerts
  - Cannot delete certain alert destinations
  - Disabling Alerts Without using Maintenance Windows
  - Filtering Dynatrace Synthetic Alerts
  - How an Alert is triggered
  - How a test alert is triggered
  - Test name is not showing in the Alert Destination usage page
  - Troubleshooting Sample Alerts
  - Why did I not receive an alert
  - Why you receive Condition Improved alert for Warning status and not Severe
- Charts
  - Can I chart an inactive test ?
  - Data point rendering warning message in the Portal
  - Error Codes
    - Error Code 12055
    - How to interpret Error Codes
    - Portal Error Code Definitions in Chinese
    - What a 398 error code means
    - What does error 15200 mean
    - What does Error Code 12000 Socket Receive Timeout mean
    - What Error 10052 Network Reset means
    - What the 403 Client Error - Forbidden error message means
    - What the HTTP error 412 Precondition Failed means
  - How to chart components for a step
  - How to create a Scatter Chart/Raw data chart
  - How to determine the cause of a long DNS lookup time
  - How to download data based on a daily timeframe
  - How to track a single object in a test
  - Metrics
    - Definitions of test measurements
    - Difference between Machine Throughput and Server Test Throughput
    - Explanation of Connect Time
    - Formula for charting Average Throughput - Group by Test - View by City
    - How availability is calculated
    - How First Byte Time is calculated
    - How Synthetic Monitoring Calculates Response Time Averages
    - Is processing or parsing time included in Response Time metrics
    - Metrics in the Portal
    - What the Standard Deviation chart shows
    - Why authentication HTTP response codes 401 and 407 are reclassified as 399
    - Why average DOM Complete may be longer than average Total Page Load
    - Why total time for a connection is greater than the sum of its parts
  - Response time by region is different from average response time
  - Saved Charts
    - How long will a Saved Chart last
    - How to email a Saved Chart in CSV or Excel format
    - How to save a Chart
    - Saved Chart Images Expire
    - Sharing a saved chart
  - Standard Deviation chart displays no data
  - View HTTP headers in the Dynatrace Portal or Dynatrace Recorder
  - W3C Troubleshooting Tips
  - Waterfall Chart
    - Are byte sizes for objects in the waterfall chart the size before HTTP compression or after
    - Can object level data be downloaded from the waterfall chart
    - Why some objects in a waterfall chart are missing DNS Lookup times
    - Why the waterfall chart overlaps between Connection and First Byte Times

- When the Interactive Chart is filtered by Host, Average Response Time changes significantly
- Why can't I see data longer than 33 days in Trending
- Why trend numbers differ from Benchmark test data
- Dashboards
  - Can I change the Operations Dashboard parameter defaults
  - Can I edit an Operations Dashboard created by another user
  - Change the default dashboard that appears when you log in
  - Country code Index for Internet Health Map
  - Data results do not always appear in the Operations Dashboard
  - How many tests or nodes can be added to an Operations Dashboard
  - How often the Auto Refresh option refreshes a dashboard
  - Is it possible to add or delete nodes in a Backbone Analyst dashboard
- Diagnostics
  - How to run a Trace Route in the Dynatrace Portal
  - Is there a limit to the number of Instant Tests that I can run
  - Receiving errors in Instant Tests
  - Trace Route message - Request Timed Out
  - Unable to Run an Instant Test on a Node
  - Using the NS Lookup Instant Test for CDN Verification
  - What Agents do Instant Tests use
  - Why am I not able to see the details about a failed Instant Test
- Dynatrace Benchmarks
  - A Benchmark test is not displaying data
  - Accessing the Public Benchmark data
  - Asynchronous Content is Tracked by Synthetic Monitoring
  - Benchmark reports are not sent out on Sunday or Monday
  - Benchmark tests - Overall Rankings and Sub Rankings
  - Consistency ranking in Benchmark Reports
  - Dynatrace Benchmark Script Modification Policy
  - How public Benchmark metrics are calculated
  - Why there are duplicate rankings for the Benchmark Performance Index
- Dynatrace Portal
  - Dynatrace Portal - Reference Code
  - Information needed for Support requests
  - Security Information for Dynatrace Performance Network
  - Time Synchronization on the Dynatrace Performance Network
  - What is a Root Name Server
- Maintenance Window
  - How to configure Maintenance Windows
  - How to delete a Maintenance Window
- Reports
  - Automatically email a saved chart on a specified schedule
  - Export chart data automatically
  - How many tests can be included in an End-to-End Report
  - Is there a limit to the number of report recipients
  - Modify the recipient list of an emailed report
  - Set up a new Benchmark Report
  - What does -Non-object- mean in the Backbone Report frequencies
  - When are daily emails for Saved Charts scheduled to be sent out
  - Why am I not receiving my emailed alerts and reports
  - XF consumption for a step that is commented out in the script
- Test Configuration
  - Calculate the number of tested pages
  - Difference between a test setting of All Page Objects and No Page Objects
  - Run a trace route whenever a test failure occurs
  - Screen Capture on Error
    - Accounts limit for number of tests with Screen Capture on Error
    - Adding Screen Capture on Error to a Private Last Mile test
    - Can I view a SCoE for a successful transaction
    - How to get the most out of Screen Capture On Error
    - Investigating issues with incomplete source code in SCoE display
    - Screen Capture on Error does not work for tests not collecting object-level detail
    - Screen Capture on Error overview
    - Test level failure shown in SCoE page instead of object level failure
    - What are the limitations of SCoE
    - Why a test only runs successfully with SCoE turned on
    - Why older Screen Capture on Errors are listed as Unavailable
    - Why SCoE displays a Page Cannot Be Found error when the test did not fail due to a 404
    - Why the SCoE image is not complete
    - Why the SCoE snapshot does not match the same page in the web browser
  - Trace Route Messages
  - Transaction Test Types Not Available

## Scripting

- Dynatrace Recorder
  - Browser agent and HTTP2 support
  - Browser Agent Scripting Guide
  - Byte Size Limits for Mobile Transactions
  - Cannot specify http or https in host mapping
  - Can Synthetic Monitoring monitor sites that use image verification such as Captcha
  - Can we use Content Match on a Chinese string in UTF-8 HTML webpage
  - CAPTCHA, image verification and the Dynatrace Recorder
  - Capture response headers from results
  - Chrome Agent playback issue but IE and FF works fine
  - Close a pop-up window in a script
  - Code to access target window
  - Coding an alert for JavaScript errors
  - Commenting Custom JavaScript in a Custom Action
  - Conditional Custom Code
  - Content Match Best Practices
  - Content match on text in the URL of a downloaded object
  - Create a conditional step in the Dynatrace Recorder
  - Create a custom locator
  - Default User Agent String in Dynatrace Recorder
  - Default values for Connections Per Host and Simultaneous HTTP requests
  - Definition of Wait actions in Dynatrace Recorder
  - Difference between Type action and FormFill action
  - Does Dynatrace Synthetic Monitoring support testing for WebSockets
  - Dynamically Push Objects Onto HTTP Action
  - Dynatrace Recorder crashes when playing Mobile scripts
  - Dynatrace Recorder does not work with Internet Explorer 10
  - Dynatrace Recorder not fully loading pop-ups
  - Dynatrace Recorder use on a Mac
  - Enable Proxy in Dynatrace Recorder Script
  - Error after upgrading Dynatrace Recorder
  - Exclude the Recorder's URLs from a proxy
  - Excluding OCSP calls from a Firefox script
  - Excluding URLs or objects from test results
  - Firefox Agent and Untrusted Sites
  - Flash Limitations for Browser Agent and Recorder
  - Flash Playback enabled on Mobile
  - Foresee Survey Popups - Removing Foresee From Tests
  - Generate a random number to use in a transaction
  - Generate unique host headers every time a script runs
  - Get object reply content
  - Handling wait times for AJAX requests
  - How can I adjust the locators used in the Dynatrace Recorder
  - How Content Match works
  - How Is Monitor ID Assigned When A New Script Replaces An Old One
  - How to add Headers in the Dynatrace Recorder
  - How to avoid locked script accounts due to concurrent logins
  - How To Calculate Time Difference in JavaScript
  - How to call a jQuery function in a Custom action when the Click action does not function
  - How to create a script that monitors cached pages
  - How to create a script with browser cache
  - How to delete a script
  - How to download copies of scripts
  - How to exclude a url from a IE Agent test
  - How to Filter an Object from a Browser Agent test
  - How to filter Synthetic Monitoring tests from web analytics
  - How to get a popup window's number
  - How to get object size
  - How to handle websites with hidden fields
  - How to identify browser type in Dynatrace Recorder
  - How to implement sendingRequest at the script level
  - How To Locate Dynamic Frames in the Dynatrace Recorder
  - How to manually add actions in the Dynatrace Recorder
  - How to parse a Session ID with a regular expression
  - How to remove spaces from POST data
  - How To Select a Random Value from an Array
  - How to set a downloaded bytes limit in the Recorder
  - How to set up HTTP authentication in a Dynatrace Recorder script
  - How to trigger a change event by setting the value of the Select action
  - How to use Host Mapping in the Recorder

- How to use Validate actions in the Dynatrace Recorder
- How to validate against an object response code
- How to validate against object return code NOT EQUAL TO specific value
- HTTP Authentication is not working in the Dynatrace Recorder
- IE Agent Repeat Visitor
- Illegal Characters in Step Names
- JavaScript function to find Nth instance of a given character's position in string
- Locate iFrame with dynamic ID
- Login failed in Windows Recorder: NS\_ERROR\_FAILURE
- Manage Script Versions
- Manually trigger an event in the Dynatrace Recorder
- Move the web page scroll bar in a script
- Not Able to See customized Code in the Dynatrace Recorder
- Object results have extra objects from sendori.com
- Obtaining a value in one script and using it separately in another
- OCSP and CRL behavior in Browser Agents
- Playback Communication Error
- Playback Communication Error Checklist
- Record a script for a web page with large objects
- Record a script with dynamic dates in the Dynatrace Recorder
- Right-click action in the Firefox Agent while recording a script
- Scripts that select login credentials randomly from a list
- Set a random value in an input field in a script
- Skip step actions based on a conditional statement
- Specifying a Cookie URL in the Dynatrace Recorder
- TechBulletin - Enabling SCoE Affects IE Agent Response Times
- Test a site that asks challenge questions
- Test was automatically inactivated
- The account must have a Primary user to replace a script via the Recorder
- The Range Header does not retrieve the expected bytes
- Third Party Tools Useful for Scripting
- This Is Boot Me page during IE playback on the Desktop Recorder
- Timeout limits for Dynatrace Recorder
- Troubleshooting Content Match failure
- Troubleshooting Locators
- Troubleshooting script failure - page is not fully loaded
- Troubleshooting Steps for Dynatrace Recorder Playback
- Use global variables in CSS locator in script actions
- Use JavaScript in a Dynatrace Recorder script to go back to the previous page
- Using Byte Range Header to Limit Download Size
- Validate against an object's HTTP headers
- Validation - Match Text on Page not working
- Virus Warning when Downloading Recorders
- What a 411 Client Length error means
- What are the ports used for Windows Recorder Playback?
- What does the HTTP Capture setting do
- What is the difference between Browser Agent and UTA
- What is the Dynatrace Recorder and how do I find it
- What is the Keystrokes field in the Type action and can it be different from the Text field
- Why does Dynatrace Recorder not filter properly
- Why does my Chrome test fail in Chrome 56 when I use host mapping
- Why script runs successfully when validation string is not displayed on the page
- Working with dates in Dynatrace Recorder scripts

## **Synthetic Monitoring APIs**

- REST API
  - How to pull agent/node list from REST API for an account
  - Integrating REST API 3.2 with Splunk
  - REST API 3.2 How to find the right name of the parameters and metrics
  - Which metrics in REST API 3.2 are for Visually Complete and Speed Index
- SOAP APIs
  - Account Management Web Service 4.0 WSDL error
  - Data Feeds do not allow downloading of Screen Capture on Error
  - Does Web Services support Step-Level Alerting
  - Downloading raw test data from Synthetic Monitoring
  - Explanation for the parameters in the response of Data Feed Web Services
  - Get Private Last Mile or Mobile alert information through API
  - How to delete scripts using Web Services API
  - How to get Backbone/Last Mile/Private Last Mile test data using Web Services Data Feed API
  - Web Service calls for Data Export, Account Management, Instant Test, Script Management
  - Web Service Data Feed Error - Max number of concurrent sessions exceeded

- Web Services Documentation MonitorID Requests
- Why test times in Data Feeds do not match the test times in the Portal
- Why WebService displays a different URL

## **Synthetic Monitoring Tests**

- Backbone
  - Adding Nodes to a Test
  - Backbone test does not fail when several objects receive a 404 response
  - Create separate tests for different page loading checks
  - Health Monitor - Number of Tests setting for a Backbone test
  - How Backbone nodes perform DNS lookup
  - How do I enable Screen Capture on Error for a Backbone Test
  - How many tests a Private Agent can run
  - How the Dynatrace Portal schedules Backbone tests
  - How to change a test from all object type to no object
  - How to customize the message content of a Backbone SMS alert
  - How to delete a Backbone test from the Dynatrace Portal
  - How to get Backbone account data through Web Services Data Feed
  - How to locate a Backbone node IP address
  - How to make test nodes run one at a time
  - How to set and check the User Agent for a test
  - Identical Backbone Tests have different performance
  - Is there a way to batch Backbone tests together to run them at the same time
  - Object Failure
  - Replace a script that uses Parameter Substitutions By Node while preserving the current substitutions
  - Timing of Tests from Different Nodes - How to stagger tests
  - What is a Private Agent
  - What is the IP address of the DNS server for a specific Backbone node
  - Why data is charted at 5-minute intervals when the test frequency is 15 minutes
  - Why do I see gaps in charted data
  - Why identical tests have different results
  - Why is content time displayed as 0.000?
  - Why tests appear not to run after changing the test frequency
- Last Mile
  - Can I move a test between Last Mile and Private Last Mile
  - Combytes in Last Mile data feeds
  - Different number of tests runs in same Last Mile Batch group
  - How are Last Mile peers selected during testing
  - How do different connection speeds fall into the testing buckets?
  - How do I download filtered Last Mile data
  - How to create a Custom Last Mile Population
  - How to email a Last Mile test report
  - How to recover a lost Gomez PEER password
  - How to remove a test from a batch order
  - How to start Last Mile and Private Last Mile tests sooner
  - How to use the Trending page to chart historical data
  - How to view Last Mile Data by Country or Region
  - In what order will Last Mile Batch Order tests execute
  - IP Addresses for Last Mile and Private Last Mile
  - Last Mile and Private Last Mile country checks
  - Last Mile Traceroutes IP and Host are Identical
  - Message adding Last Mile test - Test name currently exists Please enter a unique name
  - My Last Mile test is inactive in the Dynatrace Portal, but is listed as active in the Recorder
  - Number of Test Runs for a Last Mile Test Varies
  - Peer Population Fill Rate
  - The sum of page response times is different from average response time for the test
  - Unknown hostnames sometimes displayed in Last Mile test results
  - Why does an unused Peer Population Appear In Last Mile Data
  - Why do I see data points from lower bandwidth peers than I chose
  - Why Last Mile tests don't start collecting data immediately
  - Why Test Dial-Up
- Mobile
  - Code 99 for mobile signal strength in Synthetic Mobile
  - DNS under a Synthetic Mobile test - DNS lookup error
  - Error 754834 when trying to record a Mobile script
  - Expanded List of Mobile Error Codes
  - How can I know if a Mobile agent is a mobile device or a PC
  - How do I enable Screen Capture on Error for a Mobile Test
  - IP Addresses for Mobile testing nodes
  - ISP or carrier for Mobile Baseline location
  - Mobile Testing Direct and Proxy versus the Baseline



- Retrieving header and IP information from Mobile tests
- Synthetic Mobile 901xx Error Codes
- Trace Route on Error for Mobile
- What is a 90102 SMS Receive Timeout
- What Mobile Location name indicates
- What Mobile node names indicate
- Why Mobile peers appear in the same location using the same IP address no matter which carrier is used
- Why there is no option for a Single URL Mobile test
- Private Last Mile
  - Account Name configuration in the Private Last Mile User Interface
  - Alert Notifications under Private Last Mile
  - Can I edit a Last Mile or Private Last Mile test name or URL
  - Can the Private Peer and the Last Mile Peer be installed together
  - Documentation for Private Last Mile
  - Does IE Agent user needs admin privilege?
  - Does the Private Last Mile Peer support NTLM Proxy
  - Domain name, port number, application for Private Last Mile software running.
  - Enable IE Native Browser Agent option is grayed out
  - Error Code 18001
  - How does PLM test scheduling work
  - How many tests can be included in a Batch Order?
  - How the Last Mile and Private Last Mile value Machine Avg bits sec is calculated
  - How to change a test name in the Dynatrace Portal
  - How to create a PLM Peer Population
  - How To Gather Private Last Mile Log Files
  - How to obtain monitor IDs for Last Mile or Private Peer Web Service Calls
  - How to troubleshoot when I see no data in my PLM tests but peers are actively checking in
  - How to uninstall the Private Peer
  - If the Bandwidth Test for a Last Mile test fails, does the overall test fail
  - Installation of the Private Last Mile client on a Virtual Machine
  - Installing Private Last Mile on VMware
  - Machine not checking in on Private Last Mile with a Proxy
  - Optional Data Collection
  - Peer population does not run instant test while the peer does
  - PLM peer fails with 500 for an internal site but is successful with external site
  - Private Last Mile - Bandwidth Categorizing
  - Private Last Mile Bandwidth Test Mode Options
  - Private Last Mile Condition Improved Alert Notification Received Late
  - Private Last Mile Documentation
  - Private Last Mile - Java Memory Usage Customization
  - Private Last Mile setup error Failed To Save Preferences
  - Private Last Mile test is using system credentials rather than HttpAuthentication credentials in the script
  - Remote Desktop and Microsoft Terminal Services Console usage with Private Last Mile User Interface the Private Peer user interface not appearing
  - Removing Private Last Mile Network Machine Profiles
  - Specific Peer Population Machines Returning High Response Times or No Response
  - The 'improved' alert is an hour late for PLM Mobile tests
  - Troubleshooting the Private Last Mile version 1.0
  - What versions of Windows does the Private Last Mile software support
  - Where to find the scripts that can be seen from Recorder but not under Tests in portal
  - Which ports are used by Private Last Mile
  - Why Private Peer tries to connect to ipv6.glmpp.com
- Software Private Agent
- Tests - All Types
  - 404 Not Found Return Code
  - Contributor Groups filter only on the UrlHost data
  - Default byte size limitation for a page in a transaction
  - Does Dynatrace Synthetic leverage GZIP when making requests
  - Error Code 10001 - Server Response Missing Status Line
  - Find the Monitor ID for a test
  - How to delete a script which has not been assigned to a test
  - How to set up or edit multiple one-time or recurring maintenance windows
  - Interactive Chart using metric DOM Interactive and grouped by Aggregate All
  - Relate a test failure to weblog entry
  - Should inactive tests be removed from the Portal
  - Test Inactivation Pending email received
  - Track changes to tests
  - Use a Test Template to set default expiration date
  - What constitutes a DNS Lookup issue
  - What Return Code 299 means
  - Why a test has different performance on different browsers
  - Why the availability of the test is lower than availability for each step



