

Synthetic Monitoring Tests

Synthetic Monitoring Tests

Backbone

- Adding Nodes to a Test
- Backbone test does not fail when several objects receive a 404 response
- Create separate tests for different page loading checks
- Health Monitor - Number of Tests setting for a Backbone test
- How Backbone nodes perform DNS lookup
- How do I enable Screen Capture on Error for a Backbone Test
- How many tests a Private Agent can run
- How the Dynatrace Portal schedules Backbone tests
- How to change a test from all object type to no object
- How to customize the message content of a Backbone SMS alert
- How to delete a Backbone test from the Dynatrace Portal
- How to get Backbone account data through Web Services Data Feed
- How to locate a Backbone node IP address
- How to make test nodes run one at a time
- How to set and check the User Agent for a test
- Identical Backbone Tests have different performance
- Is there a way to batch Backbone tests together to run them at the same time
- Object Failure
- Replace a script that uses Parameter Substitutions By Node while preserving the current substitutions
- Timing of Tests from Different Nodes - How to stagger tests
- What is a Private Agent
- What is the IP address of the DNS server for a specific Backbone node
- Why data is charted at 5-minute intervals when the test frequency is 15 minutes
- Why do I see gaps in charted data
- Why identical tests have different results
- Why is content time displayed as 0.000?
- Why tests appear not to run after changing the test frequency

Last Mile

- Can I move a test between Last Mile and Private Last Mile
- Compytes in Last Mile data feeds
- Different number of tests runs in same Last Mile Batch group
- How are Last Mile peers selected during testing
- How do different connection speeds fall into the testing buckets?
- How do I download filtered Last Mile data
- How to create a Custom Last Mile Population
- How to email a Last Mile test report
- How to recover a lost Gomez PEER password
- How to remove a test from a batch order
- How to start Last Mile and Private Last Mile tests sooner
- How to use the Trending page to chart historical data
- How to view Last Mile Data by Country or Region
- In what order will Last Mile Batch Order tests execute
- IP Addresses for Last Mile and Private Last Mile
- Last Mile and Private Last Mile country checks
- Last Mile Traceroutes IP and Host are Identical
- Message adding Last Mile test - Test name currently exists Please enter a unique name
- My Last Mile test is inactive in the Dynatrace Portal, but is listed as active in the Recorder
- Number of Test Runs for a Last Mile Test Varies
- Peer Population Fill Rate
- The sum of page response times is different from average response time for the test
- Unknown hostnames sometimes displayed in Last Mile test results
- Why does an unused Peer Population Appear In Last Mile Data
- Why do I see data points from lower bandwidth peers than I chose
- Why Last Mile tests don't start collecting data immediately
- Why Test Dial-Up

Mobile

- Code 99 for mobile signal strength in Synthetic Mobile
- DNS under a Synthetic Mobile test - DNS lookup error
- Error 754834 when trying to record a Mobile script
- Expanded List of Mobile Error Codes
- How can I know if a Mobile agent is a mobile device or a PC
- How do I enable Screen Capture on Error for a Mobile Test
- IP Addresses for Mobile testing nodes
- ISP or carrier for Mobile Baseline location
- Mobile Testing Direct and Proxy versus the Baseline
- Retrieving header and IP information from Mobile tests
- Synthetic Mobile 901xx Error Codes
- Trace Route on Error for Mobile
- What is a 90102 SMS Receive Timeout
- What Mobile Location name indicates
- What Mobile node names indicate
- Why Mobile peers appear in the same location using the same IP address no matter which carrier is used
- Why there is no option for a Single URL Mobile test

Private Last Mile

- Account Name configuration in the Private Last Mile User Interface
- Alert Notifications under Private Last Mile
- Can I edit a Last Mile or Private Last Mile test name or URL
- Can the Private Peer and the Last Mile Peer be installed together
- Documentation for Private Last Mile
- Does IE Agent user needs admin privilege?
- Does the Private Last Mile Peer support NTLM Proxy
- Domain name, port number, application for Private Last Mile software running.
- Enable IE Native Browser Agent option is grayed out
- Error Code 18001
- How does PLM test scheduling work
- How many tests can be included in a Batch Order?
- How the Last Mile and Private Last Mile value Machine Avg bits sec is calculated
- How to change a test name in the Dynatrace Portal
- How to create a PLM Peer Population
- How To Gather Private Last Mile Log Files
- How to obtain monitor IDs for Last Mile or Private Peer Web Service Calls
- How to troubleshoot when I see no data in my PLM tests but peers are actively checking in
- How to uninstall the Private Peer
- If the Bandwidth Test for a Last Mile test fails, does the overall test fail
- Installation of the Private Last Mile client on a Virtual Machine
- Installing Private Last Mile on VMware
- Machine not checking in on Private Last Mile with a Proxy
- Optional Data Collection
- Peer population does not run instant test while the peer does
- PLM peer fails with 500 for an internal site but is successful with external site
- Private Last Mile - Bandwidth Categorizing
- Private Last Mile Bandwidth Test Mode Options
- Private Last Mile Condition Improved Alert Notification Received Late
- Private Last Mile Documentation
- Private Last Mile - Java Memory Usage Customization
- Private Last Mile setup error Failed To Save Preferences
- Private Last Mile test is using system credentials rather than HttpAuthentication credentials in the script
- Remote Desktop and Microsoft Terminal Services Console usage with Private Last Mile User Interface the Private Peer user interface not appearing
- Removing Private Last Mile Network Machine Profiles
- Specific Peer Population Machines Returning High Response Times or No Response
- The 'improved' alert is an hour late for PLM Mobile tests
- Troubleshooting the Private Last Mile version 1.0
- What versions of Windows does the Private Last Mile software support
- Where to find the scripts that can be seen from Recorder but not under Tests in portal
- Which ports are used by Private Last Mile
- Why Private Peer tries to connect to ipv6.glmpp.com

Software Private Agent

Tests - All Types

- 404 Not Found Return Code
- Contributor Groups filter only on the UrlHost data
- Default byte size limitation for a page in a transaction
- Does Dynatrace Synthetic leverage GZIP when making requests
- Error Code 10001 - Server Response Missing Status Line
- Find the Monitor ID for a test
- How to delete a script which has not been assigned to a test
- How to set up or edit multiple one-time or recurring maintenance windows
- Interactive Chart using metric DOM Interactive and grouped by Aggregate All
- Relate a test failure to weblog entry
- Should inactive tests be removed from the Portal
- Test Inactivation Pending email received
- Track changes to tests
- Use a Test Template to set default expiration date
- What constitutes a DNS Lookup issue
- What Return Code 299 means
- Why a test has different performance on different browsers
- Why the availability of the test is lower than availability for each step